

Mini Smart Wi-Fi Plug

Tapo P105



Remote Control



Auto-Off Timer



Voice Control



Compact Design



Set schedules



Away Mode



Flame-Retardant




Share to Family



// Features


Remote Control from Anywhere

Instantly turn connected devices on/off wherever you are via the Tapo app. Designed to facilitate your life and help eliminate potential safety hazards.



Free Up Your Hands with Voice Control

You can use Amazon Alexa or Google Assistant to control your devices with voice commands like "Alexa, turn on the toaster please".




*No separate hub and accessories are required.

// Features

Live Smarter by Presetting Time

Schedule and Timer features allow you to create weekly schedules and countdown plans, making your life more convenient. With the Auto-Off feature, your connected devices will automatically turn off each time they are left on for a set time, ensuring your safety and for saving energy.



Away Mode

Away Mode will automatically turn your connected devices, like lights, on and off randomly, to make it appear as if you're home to keep away people with ill intent.



// Features

Space-saving Design

Whether you need to power multiple devices or simply want to keep your other outlets available for use, the Tapo P105's smaller build enables you to make the most of your electrical outlets without any obstruction, ensuring convenient daily use.



Share to Family

With the Tapo app, you can easily share management permissions of your devices with your family members, saving time and enhancing user-friendliness.



// Specifications

General

- LED&Button: Status LED, Power Button
- Material: V-0 (UL-94) Flame-Retardant PC
- Power Supply: AC, 100-240 V, 50/60 Hz 15 A
- Max Load: 1800 W, 15 A[†]
- Protocol: IEEE 802.11b/g/n, Bluetooth 4.2 (for setup only)
- Wireless Type: 2.4 GHz
- System Requirements: Android 4.4 or higher, iOS 9.0 or higher

Others

- Package Contents:

1 Pack:

Tapo P105 × 1

Quick Start Guide

4 Pack:

Tapo P105 × 4

Quick Start Guide

- Certifications: FCC, UL, RoHS
- Operating Temperature: 0 °C– 40 °C (32°F–104°F)
- Operating Humidity: 10%–90%RH, Non-condensing
- Dimensions : 2.4* 1.5* 1.3 in (60*38*33 mm)



[†]Voice control is only supported with certain voice assistants.

[†]The total power of the connected electrical equipment should not exceed the max load current, and maximum power supported varies based on the appliance.

Please do not use in damp environments or outdoors.

For more information, please visit <https://www.tapo.com/>

Specifications are subject to change without notice. All brands and product names are trademarks or registered trademarks of their respective holders. ©2024 TP-Link