

Smart IoT Hub

Tapo H100



Unite Your Tapo Ecosystem

Up to 64 Devices

Smart Alarm

& Chime

Advanced Home

Automation





Unite Your Tapo Ecosystem

Connect up to 64 sub-devices using Tapo's efficient low-power protocol and centralize them on your Wi-Fi network via the Tapo Hub for seamless control through the Tapo app.





// 3 in 1 Device for All Your Needs[†]



Smart IoT Hub

Use a long-distance, low-power wireless protocol to connect to battery-powered Tapo devices.

Smart Alarm

Protect your home security by coordinating with Tapo smart sensors (motion sensor, window/door sensor, and more).

Smart Doorbell

Easily build your smart doorbell system, by installing the Tapo smart button on the door.

[†]To build a smart alarm or smart doorbell, the Tapo Hub will need to work with certain smart devices.



// Features

 Smart Alarm & Chime – Pair with Tapo sensors and smart buttons to sound hub alarms or chimes when triggered.

(Tapo sensors and Tapo smart buttons sold separately.)

- Local Mode With the Tapo Hub, sub-devices and home automation work consistently within a Local Area Network (LAN).
- Advanced Home Automation With the Tapo Hub, effortlessly control other Tapo devices by setting up automations triggered by Tapo sensors.
- Ultra-Long Distance Connection With the low frequency wireless protocol, Tapo hub sends and receives data steadily throughout your home.
- Ultra-Low-Power Performance Connect wirelessly with a wide range of Tapo accessories and never let your guard down.

- Real-Time Notifications Monitor your entire home and all connected devices to get instant alerts when the activity is detected. The built-in alarm gives you more than enough protection.
- 19 Ringtone Options 90 DB[‡] built-in multiple ringtones for your customized scenarios.
- Up to 64 Devices* Connect multiple devices to create a smart ecosystem for your home.
- Device Sharing Easily share management permissions with each member of your family.
- Easy Setup and Use No wiring required. Set up quickly and manage easily through the free Tapo app.
- Flame-Retardant^a PC flame-retardant materials help minimize burning hazards.

[‡]Decibel values may vary by ringtones and environmental factors.

[&]quot;The max conenctions may vary by the types of smart devices connected."

^AMade with V-0 (UL94) flame-retardant materials.



Specifications

General

- · Wireless: 2.4 GHz Wi-Fi, 922 MHz for connected devices*
- Rating: AC, 100-240 V, 50/60 Hz
- · Power Consumption: 0.5 W
- · Standby Power Consumption: 0.1 W
- Material: V-0 (UL-94) Flame retardant PC^a
- · LED&Button: Status LED, SYNC/Silence Button
- · Built-in: 90 DB[‡] alarm, 19 ringtones



Others

- · Package Contents:
 - Smart Hub Tapo H100
 - Quick Start Guide
- · Certifications: FCC, JRF, VCCI, ETL, NCC, BSMI, RoHS
- · Operating Temperature: 0 °C-40 °C (32°F-104°F)
- · Operating Humidity: 10%–90%RH, Non-condensing
- Dimensions: 72×56.8×51 mm (2.83×2.24×2 inch)

^{*}The specific working frequencies are 920.9 MHz to 923.3 MHz.

⁴Made with V-0 (UL94) flame-retardant materials.

[‡]Decibel values may vary by ringtones and environmental factors.

Please do not use in damp environments or outdoors. For more information, please visit https://www.tapo.com/

Specifications are subject to change without notice. All brands and product names are trademarks or registered trademarks of their respective holders. ©2024 TP-Link